

Deferred, Not Lost: Data-Driven Strategies for Re-Engaging Low-Hemoglobin Deferred Donors

Originally presented during the 2026 ADRP Annual Conference in Minneapolis, MN
Presented by Tara Matheson, Mary Guyton, Emily Roebuck, Allie Van Dyke

---

Executive Summary

Low-hemoglobin deferrals account for a significant portion of temporary donor deferrals across the blood collection industry. Although these donors are often highly motivated to give blood, many do not return after experiencing a deferral.

Recognizing this challenge, ImpactLife partnered with Delcon/OpenChair to evaluate whether targeted, personalized communication could improve donor recovery and increase successful return donations among low-hemoglobin deferred donors.

The initiative demonstrates that deferred donors represent a valuable and recoverable donor segment. Strategic communication delivered at the right time can significantly improve donor re-engagement, appointment scheduling, and successful donation outcomes.

The Challenge

For many donors, a low-hemoglobin deferral can be discouraging. Despite good intentions, donors leave without contributing and are often uncertain about when or how to return.

Historically, many organizations have provided limited follow-up after deferral, resulting in:

- Lost donation opportunities
- Reduced donor retention
- Declining donor lifetime value
- Increased recruitment costs

With growing pressure on blood supplies and increasing competition for donor attention, improving recovery rates among deferred donors represents an important strategic opportunity.

This document was generated with the assistance of AI



ADRP Annual Conference Insights

Project Overview

The initiative focused on whole-blood donors who had experienced a low-hemoglobin deferral and were eligible to receive email communications.

Researchers developed a series of personalized communication campaigns designed to:

- Educate donors about low hemoglobin
- Reinforce the temporary nature of the deferral
- Provide practical health information
- Encourage future donation attempts
- Rebuild donor confidence

Messaging incorporated multiple behavioral approaches, including motivational, educational, and impact-focused content.


Key Findings

Deferred Donors Are Highly Recoverable

One of the most important findings was that deferred donors remain engaged when organizations stay connected.

The campaign generated:

- Strong email engagement
- Significant appointment activity
- Hundreds of successful return donations
- Minimal unsubscribe activity



Slide from original 2026 ADRP Annual Conference presentation


These results indicate that many deferred donors remain willing to donate when provided with encouragement and guidance.

Timing Matters

The study found that communication timing significantly influenced donor response.



ADRP Annual Conference Insights



Slide from original 2026 ADRP Annual Conference presentation

Rather than reaching out immediately following deferral, communications delivered later in the deferral cycle often produced stronger outcomes.

This finding suggests that donors may be more receptive once they begin approaching eligibility and can realistically act on the message being received.

Personalization Improves Performance

Messages tailored to the donor's circumstances outperformed generic communications.

Successful messages:

- Acknowledged the donor's previous attempt
- Demonstrated empathy
- Provided educational information
- Reinforced the donor's positive impact
- Offered a clear next step


The results support broader trends in donor communications that emphasize relevance and personalization.

Strategic Implications for Blood Centers

Many blood centers focus heavily on donor acquisition while underinvesting in donor recovery opportunities.

Low-hemoglobin deferred donors are unique because:

- They have already demonstrated willingness to donate.
- They are familiar with the organization.
- They can often become eligible again within a relatively short timeframe.



Slide from original 2026 ADRP Annual Conference presentation

As a result, targeted recovery programs may yield stronger returns on investment than acquiring entirely new donors.

This document was generated with the assistance of AI



The project illustrates how donor engagement strategies can be informed by behavioral science, communication segmentation, and performance analytics.

Recommended Actions

Develop Structured Deferral Recovery Programs

Organizations should create automated workflows specifically designed for deferred donors rather than treating all donors identically.

Invest in Personalization

Communications should reflect:

- Deferral type
- Eligibility timing
- Donor history
- Prior engagement behavior

Optimize Communication Timing

Blood centers should test outreach schedules to determine when donors are most likely to respond and schedule appointments.

Measure Recovery Metrics

Track:

- Return rates
- Appointment conversions
- Donation completions
- Long-term donor retention

These metrics can help quantify the value of donor recovery initiatives and support future investment.

Conclusion

Low-hemoglobin deferral should not be viewed as a donor loss event. Instead, it presents an opportunity for targeted engagement and relationship building.

This document was generated with the assistance of AI



ADRP Annual Conference Insights

The findings demonstrate that personalized communication, strategic timing, and thoughtful donor education can significantly increase donor return rates and improve overall retention outcomes.

For blood centers seeking sustainable growth, deferred donor recovery programs may represent one of the most effective opportunities to maximize donor lifetime value and strengthen the long-term donor pipeline.

This document was generated with the assistance of AI